F1A-HFSM-1M

FSJ1-50A SureFlex® Jumper with interface types 4.3-10 Female and SMA Male, 1M

• WARNING: DO NOT MATE WITH 4.1-9.5 DIN

20

Product Classification

| Product Type | | Wireless transmission cable assembly |
|------------------------------------|------|--------------------------------------|
| Product Brand | | HELIAX® SureFlex® |
| Product Series | | FSJ1-50A |
| General Specifications | | |
| Body Style, Connector A | | Straight |
| Body Style, Connector B | | Straight |
| Interface, Connector A | | 4.3-10 Female |
| Interface, Connector B | | SMA Male |
| Specification Sheet Revision Level | | А |
| Dimensions | | |
| Length | | 1 m 3.281 ft |
| Nominal Size | | 1/4 in |
| VSWR/Return Loss | | |
| Frequency Band | VSWR | Return Loss (dB) |

1.222

Jumper Assembly Sample Label

700-3000 MHz



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 18, 2025

Page 1 of 2

F1A-HFSM-1M



Environmental Specifications

Immersion Test Method

Meets IEC 60529:2001, IP68 in mated condition

Included Products

F1THF-LS F1TSM-LS

FSJ1-50A

- 4.3-10 Female for 1/4 in foam coaxial cable, factory attached
 SMA Male for 1/4 in foam and air coaxial cable, factory attached
- FSJ1-50A, HELIAX® Superflexible Low Density Foam Coaxial Cable, corrugated copper, 1/4 in, black PE jacket

ANDREW

n Amphenol company

©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 18, 2025

Page 2 of 2